


| PART NUMBER | SIZE | "R" | "O" | "H"                                | "S" MIN                         | "B" MIN                         | "L"                                |
|-------------|------|-----|-----|------------------------------------|---------------------------------|---------------------------------|------------------------------------|
| 5221078     | 3"   | 48" | 14" | 33 <sup>15</sup> / <sub>16</sub> " | 3 <sup>1</sup> / <sub>8</sub> " | 2 <sup>1</sup> / <sub>2</sub> " | 37 <sup>11</sup> / <sub>16</sub> " |
| 5221091     | 4"   | 48" | 14" | 33 <sup>15</sup> / <sub>16</sub> " | 3 <sup>3</sup> / <sub>8</sub> " | 3 <sup>1</sup> / <sub>4</sub> " | 37 <sup>11</sup> / <sub>16</sub> " |
| 5221948     | 5"   | 48" | 14" | 33 <sup>15</sup> / <sub>16</sub> " | 3 <sup>5</sup> / <sub>8</sub> " | 4 <sup>1</sup> / <sub>4</sub> " | 37 <sup>11</sup> / <sub>16</sub> " |
| 5219830     | 6"   | 48" | 14" | 33 <sup>15</sup> / <sub>16</sub> " | 3 <sup>3</sup> / <sub>4</sub> " | 5"                              | 37 <sup>11</sup> / <sub>16</sub> " |



ETL LISTED  
 CONFORMS TO UL651  
 ETL CONTROL #3107144  
 CONFORMS TO NEMA TC3  
 SEE NEC ARTICLE 352 FOR USE  
 MATERIAL IS RIGID PVC  
 BEND TOLERANCE IS  $\pm 2^\circ$   
 "B" TOLERANCE IS  $-\frac{1}{8}$ ",  $+\frac{1}{2}$ "



**CANTEX**  
 INC.  
 Fort Worth, TEXAS

45° Elbows Bell End  
 Schedule 80 48" Radius Elbows

Drawn By: CD Branch

Date: 10/15/07

Ref.